






ORDERING INFORMATION				EXAMPLE: L35-I-12-02-22-80-110-120				
L35 - - - - -								
MODEL	INTERIOR/ EXTERIOR	LENGTH	POWER	CCT		CRI	VOLTAGE	OPTIC
L35	I	12" 48"	02 04 06 08 10	WHITE CCT	MONO COLOR	80 90	MULT (110-277VAC)	120
				22 35 25 40 27 50 30	RD GR BL AM			

















ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED		DRAWN	DATE	DESCRIPTION		
		DIMENSIONS IN INCHES/[MM]		CHECKED	DATE			
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5		MATERIAL		DWG. NO		
		THIRD ANGLE PROJECTION		FINISH				
				ALUMINUM - POLYCARBONATE		TROV, L35		
				ANODIZED - PAINTED		DO NOT UPDATE MANUALLY	SCALE 1 : 3	SIZE A

5


4

3

2

1

FINE ADJUSTMENT BRACKET



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	MNT-L-FAB	FINE ADJUSTMENT BRACKET	1-2 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35				
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE	FINE ADJUSTMENT BRACKET				
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL		DWG. NO				
		 THIRD ANGLE PROJECTION	FINISH		DO NOT UPDATE MANUALLY		SCALE	SIZE	SHEET
			ANODIZED - PAINTED				1 : 3	A	2 OF 9

5


4

3

2

1


MOUNTING TRACK AND CLIPS



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	MNT-L-TRK-XX	MOUNTING TRACK, 12IN / 48IN	1 PC
3	MNT-L-CLIP	MOUNTING CLIP	2-4 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 1915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE 12-JUN-15	DESCRIPTION TROV, L35 MOUNTING TRACK AND CLIPS			
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE 12-JUN-15	DWG. NO			
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL ALUMINUM - POLYCARBONATE					
		 THIRD ANGLE PROJECTION 	FINISH ANODIZED - PAINTED	DO NOT UPDATE MANUALLY	SCALE 1 : 3	SIZE A	SHEET 3 OF 9	

ANGLE LOCK CLIP



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	MNT-L-ANGLOCK	ANGLE LOCK CLIP	1 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35 ANGLE LOCK CLIP					
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE						
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL	ALUMINUM - POLYCARBONATE			DWG. NO			
		THIRD ANGLE PROJECTION	FINISH	ANODIZED - PAINTED			DO NOT UPDATE MANUALLY	SCALE 1 : 3	SIZE A	SHEET 4 OF 9

5


4

3

2

1


L BRACKET



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	MNT-L-LBKT	90 DEGREE L.BRACKETS	2 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE 12-JUN-15	DESCRIPTION TROV, L35 L-BRACKET			
		DIMENSIONS IN INCHES/[MM] .XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	CHECKED	DATE 12-JUN-15				
		 THIRD ANGLE PROJECTION	MATERIAL ALUMINUM - POLYCARBONATE		DWG. NO			
			FINISH ANODIZED - PAINTED		DO NOT UPDATE MANUALLY	SCALE 1 : 3	SIZE A	SHEET 5 OF 9




SNAP ON LENS



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	LENS-L35-XX-XX	SNAP ON LENS, CLEAR / FROSTED, 12IN / 48IN	1 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35 SNAP ON LENS				
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE					
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL	DWG. NO					
			ALUMINUM - POLYCARBONATE						
		THIRD ANGLE PROJECTION	FINISH	DO NOT UPDATE MANUALLY			SCALE	SIZE	SHEET
			ANODIZED - PAINTED			1 : 3	A	6 OF 9	

LANDSCAPE STAKE



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	LS-L-STK-XX	LANDSCAPE STAKES, 6IN / 12IN / 18IN	2 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35 LANDSCAPE STAKES					
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE						
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL	ALUMINUM - POLYCARBONATE			DWG. NO			
		THIRD ANGLE PROJECTION	FINISH	ANODIZED - PAINTED			DO NOT UPDATE MANUALLY	SCALE	SIZE	SHEET
							1 : 3	A	7 OF 9	

5


4

3

2

1



MASKING PLATES



ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35	1 PC
2	MP-L50-3H-XX	MASKING PLATE, 3IN HIGH, 12IN / 48IN, L50 & L35	1 PC

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35 MASKING PLATE					
		DIMENSIONS IN INCHES/[MM] .XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5  THIRD ANGLE PROJECTION	CHECKED	DATE						
			MATERIAL	ALUMINUM - POLYCARBONATE			DWG. NO			
			FINISH							
			ANODIZED - PAINTED			DO NOT UPDATE MANUALLY	SCALE	SIZE	SHEET	
				1 : 3	A	8 OF 9				

WALL MOUNT ARM



ITEM NO.	PART NUMBER	DESCRIPTION
1	L35-XX-XX-XX-XX-XX-XX-XXX	TROV, L35
2	WMA-L-CA-XX	WALL MOUNT ARM, 6IN / 12IN / 18IN / 24IN
3	WMA-L-END	WALL MOUNT ARM END PLATE SET
4	WMA-L-JNR	WALL MOUNT ARM JOINER PLATE

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ECOSENSE LIGHTING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ECOSENSE LIGHTING IS PROHIBITED.	ECOSENSE ECOSENSE LIGHTING, INC. 915 WILSHIRE BOULEVARD SUITE 2175 LOS ANGELES, CA 90017 TEL: 855.632.6736 FAX: 310.496.6256 INFO@ECOSENSELIGHTING.COM WWW.ECOSENSELIGHTING.COM	UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	TROV, L35 WALL MOUNT ARM			
		DIMENSIONS IN INCHES/[MM]	CHECKED	DATE				
		.XX±.01"/.25MM ANGLE±1° .XXX±.005"/.15MM FRACTION±1/64" INTERPRET ACCORDING TO ASME Y14.5	MATERIAL	DWG. NO				
		 THIRD ANGLE PROJECTION	ALUMINUM - POLYCARBONATE					
			FINISH	DO NOT UPDATE MANUALLY			SCALE	SIZE
		ANODIZED - PAINTED			1 : 3	A	9 OF 9	