


DATE	PROJECT	FIRM	TYPE
------	---------	------	------

ARCHITECTURAL GRADE 2-CIRCUIT/2-NEUTRAL TRACK

- FEATURES :
- INDEPENDENT NEUTRALS ENABLE DIMMING WITH MINIMIZED CHANCE OF INTERFERENCE ACROSS CIRCUITS
 - OVERSIZED CONDUCTORS FOR HIGHER OPERATING CAPACITY
 - SECURE CRIMPED INSULATION FOR SECURE CONDUCTOR RETENTION
 - POLARITY RIDGE TAKES THE GUESSWORK OUT OF FIXTURE ALIGNMENT AT INSTALLATION

TRACK



Ordering Information

JA2	TK		
		COLOR	LENGTH
		WH - White	48 - 48"
		BK - Black	96 - 96"
			144 - 144"

*Dead End track cap sold separately (next page)

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

DEAD END



Ordering Information

JA2	AC	DE	COLOR
			WH - White
			BK - Black

BENDING TOOL

Bends conductors to make spec for field cut applications



Ordering Information

JA2	AC	BT
-----	----	----

OUTLET BOX COVER



Ordering Information

JA2	AC	OC	COLOR
			WH - White
			BK - Black

T-BAR MOUNTING CLIP




Ordering Information

JA2	MT	T-BAR	COLOR
		CT - T-Bar	WH - White
		CR - Recessed T-Bar	BK - Black

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

Stem and Canopy Mounting



STEM AND CANOPY

Requires universal stem suspension point sold separately



Ordering Information

JA2	MT	SC	COLOR	DROP
			WH - White	12 - 12"
			BK - Black	18 - 18"
				24 - 24"
				48 - 48"

UNIVERSAL STEM SUSPENSION POINT

Includes bracket and cover
Stem and Canopy not included




Ordering Information

JA2	MT	US	COLOR
			WH - White
			BK - Black

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

Cable or Threaded Rod
Mounting Assembly

Bracket provides suspension attachment point for cable or threaded rod. Ceiling cup slides over the bracket for a finished look.



CEILING CUP AND BRACKET KIT



Ordering Information

JA2	MT	CU	COLOR
			WH - White
			BK - Black

CABLE ASSEMBLY



Ordering Information

JA2	MT	SW	LENGTH
			60 - 5ft
			108 - 9ft

TRACK CLIP




Ordering Information

JA2	MT	TC	COLOR
			WH - White
			BK - Black

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

LIVE END FEED



Ordering Information

JA2	FD	LE	TYPE	COLOR
			11 - Standard 12 - Mirror	WH - White BK - Black


LINEAR COUPLER



Ordering Information

JA2	CO	LN	COLOR
			WH - White BK - Black


STRAIGHT FEED CONNECTOR



Ordering Information

JA2	FD	ST	COLOR
			WH - White BK - Black

FEEDABLE X-CONNECTOR




Ordering Information

JA2	FD	XC	COLOR
			WH - White BK - Black

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

FEEDABLE L-CONNECTOR

(Adjustable Polarity)




Ordering Information

JA2	FD	LC	COLOR
			WH - White
			BK - Black

FEEDABLE T-CONNECTOR


Crossbar = Adjustable Polarity
Leg = Order Left or Right



Ordering Information

JA2	FD	TC	TYPE	COLOR
			LF - Left	WH - White
			RT - Right	BK - Black

ADJUSTABLE CONNECTOR



Ordering Information

JA2	CO	AC	COLOR
			WH - White
			BK - Black

CURRENT LIMITING FEEDS

2 identically rated breakers included per limiting feed
For 2 breakers with dissimilar values, contact factory





Ordering Information

JA2	FD	CONFIGURATION	AMP RATING*	COLOR
		CLE - End Feed	01 - 1amp/120W	WH - White
		CLEM - Mirror Feed	03 - 3amp/360W	BK - Black
			05 - 5amp/600W	
			08 - 8amp/960W	
			10 - 10amp/1200W	
			*per breaker	

DATE	PROJECT	FIRM	TYPE
------	---------	------	------

TRACK CONFIGURATIONS, COMPONENTS AND DIMENSIONS



Track is polarized and is manufactured with identifying ridge (green line on diagrams). Refer to these diagrams to ensure proper connector selection.

